

MUD-SUCKER[®] HONEY WAGON *Trailer Mounted*



Shown:
Honeywagon with 1000 gallon tank, off-road dual axle trailer with DOT lighting package. The pump is a Mud-Sucker 2FEC electric pumping system with a 1.5" connection.



You can amend your package with Wastecorp's wide selection of hoses and accessories to get your fluid handling job done quickly and easily.

Wastecorp's Mud-Sucker honey wagon sanitation systems are designed for heavy duty marine and recreational pumping applications. These system are ideal for mobile home parks, campgrounds and commercial marine applications.

Package Includes:

- Mud-Sucker Honeywagons feature your choice of 300, 500 and 1000 gallon (or larger) polyethylene holding tank with easy discharge points.
- Industrial rated trailer
- Mud-Sucker Diaphragm Pump with Honda[®] gas engine or electric motor.
- 50 ft. suction hose
- 10ft. discharge hose
- Camlock fittings
- **New!** Wastecorp's famous one step universal adapter designed to connect to any boat or R.V. connection

Optional Equipment:

- Dual axle severe duty trailer (shown above)
- Off-road utility trailer with D.O.T. approved highway package



MUD-SUCKER® HONEY WAGON *Trailer Mounted*

Specifications

Wastecorp offers a variety of Mud-Sucker pumps ranging from 2"-6" to meet your application requirements.

Standard Pump:

Wastecorp Mud-Sucker Model: MS-2FA Diaphragm Pump complete with 2" inlet and outlet connections. Pump is complete with fabricated steel stationary base, heavy-duty nylon reinforced neoprene 7" diaphragm, steel pump rod, accutated by an eccentric crank arm, single flapper check valve construction with upper and lower steel weights to ensure positive seating on both suction and discharge, pump body is marine grade aluminum with contoured velocity channel to aid in handling slurries. This pump is available with either single or three phase electric motor or engine driven. Optional Pumps Sizes Available.

Hosing

Discharge: 1.5" or 2" x 10 ft. discharge PVC hose with polypropylene connections.
Suction: 1.5" or 2" x (25 or 50 ft) suction PVC hose with aluminum quick connects, optional swing check valve and ball valve. Optional Hose Sizes Available.

Tanks

Wastecorp offers a variety of different sized tanks to meet your application requirements and are best suited for outdoor liquid transport. The LLDPE horizontal elliptical leg tank is complete with galvanized tie down bands and collection sump on the bottom for full drain out, 2" bulkhead threaded inlets, medium-density polyethylene with UV stabilizers suitable for outdoor applications. The tank is translucent to view liquid level. Optional Tank Sizes Available.

Trailer:

The Mud-Sucker "Honey-Wagon" system is mounted on a flat deck trailer, complete with single or double 5000 lb axles, standard 15" tires, EZ lube hubs, steel deck with composite wood deck, stake pockets around perimeter with rub rail, premium sealed lighting with wiring connections soldered and heat shrunk, lifting jack, forged front eye hook, optional sized couplers, wiring harness, electric brakes and black paint finish. Optional Trailer Sizes Available.

Features

The Wastecorp® Difference



Premium tanks
1000 gallon and beyond



Heavy duty axle
(single or double)



D.O.T approved highway
trailer



You choose the pump
that works best for you

Mud-Sucker® Honey Wagon

Dimensions

